DOCUMENT RESUME

ED 260 693 IR 011 766

AUTHOR Baggett, Patricia; Ehrenfeucht, Andrzej
TITLE A Multimedia Knowledge Representation for an "Intelligent" Computerized Tutor. Technical Report No. 142.
INSTITUTION Colorado Univ., Boulder. Inst. of Cognitive Science.
SPONS AGENCY Office of Naval Research, Arlington, Va. Personnel and Training Research Programs Office.
PUB DATE Apr 85
CONTRACT N00014-84-C-0122; N00014-85-K-0060; NR-667-533; NR-702-001
NOTE 52p.
PUB TYPE Reports - Research/Technical (143)

EDRS PRICE MF01/PC03 Plus Postage.
DESCRIPTORS *Artificial Intelligence; *Computer Assisted Instruction; Computers; Equipment Maintenance; Instructional Design; Instructional Improvement; *Multimedia Instruction; *Repair; *Tutoring

ABSTRACT

The intended end product of the research project described is an "intelligent" multimedia tutoring system for procedural tasks, in particular, the repair of physical objects. This paper presents the data structure that will be used, i.e., a graph with five types of nodes (mental, abstract, motoric or action, visual, and verbal) and two types of links (subconcept and pointer). The graph examples given in the paper are knowledge representations of conceptualizations that people might have for a simple object, e.g., a flashlight. Use of the representations is shown for choosing actions, planning strategies, making inferences, and designing instructions. The plan for computer implementation of the tutoring system is also given, as well as a report on applications of this knowledge representation, including how it can be derived from experimentally observed behavior. Finally, this knowledge representation is compared with others such as KRL, Pavio, and linguistically based theories. (Author/JB)

****
* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *
****

U.S. DEPARTMENT OF EDUCATION
NATIONAL INSTITUTE OF EDUCATION
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

☒ This document has been reproduced as received from the person or organization originating it.

☐ Minor changes have been made to improve reproduction quality.

• Points of view or opinions stated in this document do not necessarily represent official NIE position or policy.

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified	1b. RESTRICTIVE MARKINGS None
2a. SECURITY CLASSIFICATION AUTHORITY	3. DISTRIBUTION / AVAILABILITY OF REPORT Distribution according to ONR distribution list; availability unlimited
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE	
4. PERFORMING ORGANIZATION REPORT NUMBER(S)	5. MONITORING ORGANIZATION REPORT NUMBER(S)
6a. NAME OF PERFORMING ORGANIZATION Department of Psychology 6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION
6c. ADDRESS (City, State, and ZIP Code) University of Colorado Campus Box 345 Boulder, CO 80309	7b. ADDRESS (City, State, and ZIP Code)
8a. NAME OF FUNDING / SPONSORING ORGANIZATION Office of Naval Research 8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER
8c. ADDRESS (City, State, and ZIP Code) Personnel Training & Research Programs Office of Naval Research (Code 442 PT) Arlington, VA 22217	10. SOURCE OF FUNDING NUMBERS see also 16 PROGRAM ELEMENT NO. / PROJECT NO. N00014-85-K-0060 / TASK NO. NR 702-001 / WORK UNIT ACCESSION NO.

11. TITLE (Include Security Classification)
A Multimedia Knowledge Representation for an "Intelligent" Computerized Tutor (unclassified)

12. PERSONAL AUTHOR(S)
Patricia Baggett and Andrzej Ehrenfeucht

13a. TYPE OF REPORT	13b. TIME COVERED	14. DATE OF REPORT (Year, Month, Day)	15. PAGE COUNT
Interim	FROM 1984 TO 1985	1985 April 22	43

16. SUPPLEMENTARY NOTATION
This work also supported by ONR contract N00014-84-C-0122 NR 667-533

17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)
FIELD	GROUP	SUB-GROUP	Multimedia knowledge representation, conceptualization, data structure for computer implementation, performing procedures

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

The intended end product of our current research project is an "intelligent" multimedia tutoring system for procedural tasks, and in particular, for repair of physical objects. This paper presents the data structure that will be used. It is a graph with five types of nodes (mental, abstract, motoric or action, visual, and verbal) and two types of links (subconcept and pointer). The graph examples given in the paper are knowledge representations of conceptualizations that people might have for a simple object, a flashlight. We show how the representations are used for choosing actions, planning strategies, making inferences, and designing instructions. We give the plan for computer implementation of the tutoring system. We report previous applications of this knowledge representation, including how it can be derived from experimentally observed behavior. And we compare our knowledge representation to others.

20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☑ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS	21. ABSTRACT SECURITY CLASSIFICATION
22a. NAME OF RESPONSIBLE INDIVIDUAL	22b. TELEPHONE (Include Area Code) / 22c. OFFICE SYMBOL

DD FORM 1473, 84 MAR 83 APR edition may be used until exhausted
All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE

A Multimedia Knowledge Representation for an "Intelligent" Computerized Tutor

Patricia Baggett
Psychology Department
University of Colorado

and

Andrzej Ehrenfeucht
Computer Science Department
University of Colorado

Table of Contents

I. Introduction

A. Research overview
B. Purpose of this article

II. Theoretical Background

A. The theoretical framework
B. Selecting a knowledge representation

1. Matching the representation and behavior
2. Relativity of the knowledge representation
3. Efficiency of the representation

III. Representing Knowledge in the Theoretical Framework

A. The representation
B. Use of concepts

1. Actions and strategies
2. Inferences

C. Instructions

D. An overview of the proposed programs

1. The data base
2. Special purpose procedures
3. English parser
4. Concept building procedure
5. A driver

E. Comparison of the proposed knowledge representation with others

1. Matching the representation and behavior
2. Relativity
3. Efficiency
4. A comparison of our representation with KRL
5. Our approach and frames and semantic networks
6. Our approach contrasted with Paivio and linguistically based theories
7. The role of background, or world knowledge

IV. Final Remarks

Appendix 1. A Fictitious Adult's Conceptualization of a Flashlight

Appendix 2. A Fictitious Child's Conceptualization of a Flashlight

A Multimedia Knowledge Representation
for an "Intelligent" Computerized Tutor

Abstract

The intended end product of our current research project is an "intelligent" multimedia tutoring system for procedural tasks, and in particular, for repair of physical objects. This paper presents the data structure that will be used. It is a graph with five types of nodes (mental, abstract, motoric or action, visual, and verbal) and two types of links (subconcept and pointer). The graph examples given in the paper are knowledge representations of conceptualizations that people might have for a simple object, a flashlight. We show how the representations are used for choosing actions, planning strategies, making inferences, and designing instructions. We give the plan for computer implementation of the tutoring system. We report previous applications of this knowledge representation, including how it can be derived from experimentally observed behavior. And we compare our knowledge representation to others.

I. Introduction

A. Research Overview

Our current research is focused on how to design interactive multimedia instructions for procedural, and more specifically, repair tasks. A repair is defined as follows: Suppose we have an object which has both structure and function. By repair we mean a modification of the structure, when the object has stopped functioning or is functioning incorrectly, in order to make it function properly again.

The main goal is to find the theoretical and practical principles for developing an "intelligent" computerized system for repair, while also actually developing such a system.

The method of the research, which we have just begun, is to build an experimental implementation using the data structures and procedures that act on them which are presented here and which come from our theoretical framework (Baggett & Ehrenfeucht, 1982, 1985). The system will be used in the domain of repair tasks. The main questions are:

1. Is our theoretical representation of knowledge (see below) an adequate description of the knowledge a person must have to perform repair tasks?

2. Can our multimedia knowledge representation be efficiently implemented as a tutor for repair tasks?

3. What types of tutor/user interactions can be used to communicate successfully the tutor's knowledge to the user? Theoretically, how can new information most effectively be entered into an existing representation?

4. What is the role of modalities of information (moving video, still photos, color graphics, verbalization) with respect to the concepts people form, and with respect to their being able to execute these concepts, i.e., perform the repairs?

5. (Related to 4.) What conceptualization does a person form as a result of the task? How does information from the tutor influence the person's conceptualization?

B. Purpose of this Article

The purpose of this paper is to present concrete examples of the multimedia knowledge representation which has not yet been implemented but which we plan to use as a data structure for the tutor. We take a relatively simple example, a flashlight. In III.A. below we show, in fairly complete detail, the knowledge representations for two different fictitious human conceptualizations of the flashlight, as viewed in our framework (Baggett & Ehrenfeucht, 1982). In III.B. we show how knowledge representations, as viewed in our framework, are formed and used for selecting actions, for strategies, and for making inferences. III.C. focuses on preparing individualized instructions for a repair task, and III.D. gives an overview of our plans to implement the ideas in an "intelligent" program which would be used as a teacher in a repair task.

II. Theoretical Background

A. The Theoretical Framework

The theoretical framework guiding this work, which has given rise to the explicit knowledge representation and processes acting on it presented below, concerns how people process information. It deals with concept formation and with encoding, retaining, and using information from multimedia stimuli. Within the framework a concept is represented as a graph with two kinds of associative links, and nodes corresponding to elements from different modalities, e.g., motoric (action), visual (pictorial), linguistic, and abstract. (Details are given in Baggett & Ehrenfeucht, 1982.) There is thus a single conceptual memory. (Many other researchers also assume a single conceptual memory, for example, Anderson & Bower, 1973; Carbonell & Collins, 1974; and Norman & Rumelhart, 1975.) The memory is connected to multiple processors. Processors can be thought of as processing visual input, auditory input, tactile input, and so on. Processors take input signals and put them into memory, forming concepts.

Concepts are not independent. If processor A builds a concept, then processor B can build another concept that is a part of it. This gives the hierarchical structure and the multimedia aspect: Visual, auditory, and motoric information, for example, can be part of the same concept. A theoretical approach similar to ours is that of Jackendorff (1983), who states that there is a single level of mental representation at which linguistic, sensory, and motor information are compatible.

We plan to analyze specific hypotheses arising in this new project within our framework, and, importantly, we expect that there will not be a situation in which we have to modify the framework (e.g., add a new link type) in order to do the analysis. The basic data structure does not seem to be too restrictive, and it appears that its efficiency is as good as any other proposed.

B. Selecting a Knowledge Representation

Work on knowledge representation in artificial intelligence has resulted in a variety of types of data structures for storing information in computer programs, and in procedures that manipulate the data structures in an "intelligent" way. We discuss here three criteria for evaluating a knowledge representation:

1. Can it be matched with the actual behavior of subjects? There are two sides here: (a) Can the representation be derived from behavior, and (b) Can it be used to predict behavior?

2. When the representation is used, does it contain the necessary and sufficient information for successfully performing the tasks it is designed to handle?

3. Is it efficient, i.e., sufficiently fast to be used on-line?

We briefly comment on the three criteria:

1. Matching the Representation and Behavior

(a) If the representation can be derived from behavior, it can be useful in designing individualized instructions, i.e., instructions that fit the way a particular person is conceptualizing a task. (We know from our own research, e.g., Baggett, 1983; Baggett & Ehrenfeucht, 1985, that such a conceptual match is important for performance. Lack of this ability in computerized instruction thus far is one shortcoming given by Sleeman and Brown, 1982. Its presence can be considered evidence that the program is indeed "intelligent".)

(b) The ability to use the representation to predict behavior gives the representation psychological validity.

We note that in a production system representation (e.g., Anderson, Kline, & Beasley, 1979; Davis, Buchanan, & Shortliffe, 1976; Davis & King, 1977; Hedrick, 1976; Lenat, 1982; Rychener, 1976; Shortliffe, 1976; Vere, 1977; Waterman, 1970), (a) is difficult and (b) is easy. In a semantic network representation (e.g., Anderson & Bower, 1973; Brachman, 1979; Carbonell, 1970; Carbonell & Collins, 1974; Hendrix, 1976; Norman & Rumelhart, 1975; Quillian, 1978; Stefik, 1980; Walker, 1976; Woods, 1975; Woods et al., 1976), (a) is easy and (b) is difficult.

2. Relativity of the Knowledge Representation

In evaluating what is a good knowledge representation, we keep in mind that there is no absolute or best or ideal one. (This fact was also discussed by Wilensky, 1984). Evaluation of the knowledge representation must be done relative to the task (i.e., the context or environment). There are two points here:

(a) The knowledge representation should not have extraneous elements, i.e., elements never used in a given group of tasks.

(b) The knowledge representation should be complete, i.e., within the group of tasks, all actions that can make a difference in the outcome must be accounted for (included).

3. Efficiency of the Representation

For a practically designed tutoring system, efficiency is an important issue. It can be divided into two components:

(a) Non-laboratory tasks, for which it is worthwhile to have a tutoring system, are fairly complex. So the size of the data base used for the knowledge representation can be a crucial element that determines the success or failure of the system.

(b) An interactive tutoring system requires real-time processing of data. Subjects should not have to wait long for its response (Anderson, 1984; Shneiderman, 1980). So the algorithms for data processing have to be fast.

In III. we propose a knowledge representation which seems to satisfy the three criteria above.

III. Representing Knowledge in the Theoretical Framework

A. The Representation

The 13 diagrams on pages A1 through A5 (Appendix 1) represent a fictitious (not experimentally derived) adult's conceptualization of a flashlight, as viewed in our framework. The seven diagrams on pages C1 through C3 (Appendix 2) represent a fictitious child's conceptualization, also viewed in our framework. Here is an explanation of the conventions used in the diagrams:

A ——————> B means B is a subconcept of A.

A ---------> B means A has a pointer to B.

Concepts in circles are abstract.

Concepts in triangles are motoric (actions). They are denoted by capital letters.

Concepts in squares are visual. They are executable by the visual processor. We label them V_i. The values for each V_i are given in Figure 1.

Concepts in ovals are linguistic. They contain verbal labels. In the diagrams, some subconcepts do not have linguistic components. This corresponds to the fact that many people do not have ready-made names for many parts.

Verbal explanations to the right of each diagram are not part of the concepts. They are merely explanations for the reader.

The division of the adult's conceptualization into 13 diagrams and the child's into 7 is done solely for the purpose of readability. Each conceptualization could just as well be one diagram.

Now we shall discuss some properties of the diagrams in detail.

In diagram 2. structure (adult), V_2 represents the flashlight as the person sees it. (See Figure 1.) A^{-1} has pointers to both V_4 and V_5. The pointers indicate that, if the person unscrews the cap, he or she expects to see a case with batteries (V_4) and a front part with protector and bulb (V_5). V_4 and V_5 are concepts executable by the visual system, so that the expectation can be verified. For example, if the actual flashlight whose cap was unscrewed did not contain batteries, execution of V_4 would fail to detect the batteries.

The pointer from A to V_2 indicates that if the person screws the cap V_5 onto the case with batteries V_4, the person expects to see a complete flashlight.

This pattern repeats in many diagrams. For example, for the adult, each action, besides having a verbal subconcept, also has one or more visual subconcept(s) which can be treated as arguments for the action. The action also has a pointer to one or more visually recognizable concepts, which represent the objects seen as the result of the action.

Figure 1. The values for visual concepts in the conceptualizations of the flashlight.

V_{14}

V_{22}





V_{15}

V_{23}



V_{16}



V_{25}





V_{17}

V_{26}





V_{18}



V_{27}



V_{19}



L

2

V_{20}

L'

3

V_{21}

Other pointers from an action point to abstract concepts. An example is in diagram 2. structure (adult). Here, a pointer goes from action A to C_3, an electrical connection. This means that the action of screwing on the cap should cause the electrical connection between bulb and battery.

In diagram 3. functionality (adult), we see a pointer going from abstract concept 30 to L. This means the person expects the light to be off because the electric circuit is open. A pointer from abstract concept 29 to L indicates the light is one because the circuit is closed.

These examples show that the actual meaning of pointers (causal, expectations, etc.) depends on the types of concepts they are linking. In general, a meaning for the pointer will depend on the context in which it is used. In an example later in this paper, some pointers will indicate a temporal sequence of actions. Even in diagram 2. structure, pointers between A^{-1} and V_4 and V_5 could have a temporal interpretation: "First unscrew the cap, and then look at the case with batteries and the front part."

Similar ambiguities occur also in interpreting other parts of the diagrams. Concept A can be interpreted as a relation, i.e., "the front part is screwed on the case with batteries," as well as the action of screwing the front part on the case. Similarly, in 4. case with batteries, B can be interpreted as, "batteries are in the case," as well as the action of putting the batteries in the case.

This distinction of relation versus action that causes the relation is not represented in the concept. The distinction occurs only when the concept is used. For example, in assembling or disassembling a flashlight, the concepts would actually be executed, and then clearly they are actions. If the concept is used as a blueprint for a verbal description of the structure of a flashlight, the concepts A, A^{-1}, etc., are verbally represented as relations between parts of the object.

Turning now to a general overview of the adult and child conceptualizations, we can summarize their knowledge as follows. The adult has a fairly detailed knowledge of the structure, a reasonable knowledge of the circuitry, and some understanding of the relationship between the structure and the circuitry. The child has a much more limited knowledge of the structure and no knowledge about the circuitry. The child also has a restricted verbal terminology. We can also notice (in 6. case (child)) that the child does not view the contact bar as a part of the switch, but simply as a part of the body.

Another point needs to be mentioned here. Some things are left out of the conceptualizations presented. For example, there is no mention of the type of batteries or of electric current. Such omissions do not mean that the person does not have a knowledge of different types of batteries, etc. It only means that this knowledge is not incorporated as a subconcept of the concept of flashlight. (See also III.E.7 on world knowledge.)

B. Use of Concepts

1. Actions and Strategies

The concept of the flashlight as presented in the 13 diagrams allows our fictitious adult to perform many tasks, including repair tasks. For example, the sequence of actions A^{-1} B^{-1} removes the batteries from the flashlight, and the sequence BA puts them back. This allows the person to change the batteries. Similarly, the person can change the bulb, or replace some other removable part of the flashlight.

The conceptualization presented above also allows the person to make some diagnoses of a malfunction. For example, if the light doesn't go on after the switch is pushed forward, the person knows something is wrong, because the expected result, as shown by a pointer from G to L (in 3. functionality) is that the light should be on. A pointer from 29 to L (in the same diagram) gives the information that the closed circuit causes the light to be on. Closer examination of a circuit (in the last adult diagram, p. A5) shows what connections have to be made, and which elements are part of the connections.

In addition, for example, the pointer in 5. front part with protector and bulb from C to C_2 indicates that snapping the protector into the back of the reflector should form connection C_2. This information could lead to the following actions: $A^{-1}C^{-1}CA$. These actions would remove the front part, remove the protector with bulb, snap it in again, and screw on the front part again. Such a sequence of actions could possibly correct a poor contact between the bulb and the collar.

For comparison, our fictitious child has far more limited possibilities for actions. When there is a malfunction, the child is basically limited to pushing the switch on and off, and replacing the batteries.

This brings up again the question of background knowledge: Can a person perform some actions based on general background knowledge? We think (we do not have experimental evidence) that background knowledge is used in the following way: Some specific concepts from background knowledge can be incorporated into the concepts that are processed. This means the person changes his conceptualization of the flashlight. Then the person bases his actions on his modified conceptualization.

But in order to perform even very simple specific tasks, the person needs a strategy. Without one, the actions available would not be performed, or would be performed in a random, aimless order. We think that application of a strategy consists of two parts:

1.) Forming a plan of action, which basically consists of performing some mental operations; and

2.) Carrying out the plan.

Of course the two parts do not have to be done in the order given: A partial plan can be formed, and partial execution can be done.

In our framework, strategies are concepts, with an overall structure similar to the structure of an object such as the flashlight given above. The difference is that they will contain, among other elements, executable mental actions. Executable mental actions are treated in the same way as executable motoric actions, with one difference. Motoric actions, when executed, operate on physical objects. Mental ations, when executed, operate on concepts.

In the examples below, we shall indicate executable mental actions by putting them in octagons: (M) . We shall start with an example of a strategy for removing the bulb from the flashlight (Figure 2), and later generalize it to removing a part (subassembly) from an object.



M_1. concept of removing bulb from flashlight
M_2. Form a plan.
M_3. Carry out the plan.
M_4. Forget the plan.
P. Abstract plan (there is nothing in it)

Figure 2

Mental operations can be defined in terms of subconcepts, the subconcept relation, and pointers. Below, we give the definitions of M_2, M_3, and M_4.

Definitions.

(Preliminary definition) A chain between [u] and [w] is a sequence K_1 ,....., K_n of concepts such that

and

and each K_i points to a subconcept of K_{i+1}, i.e.,



Here is an example taken from our adult's conceptualization.

A^{-1}, C^{-1}, D^{-1} is a chain between [V_2] and [V_{14}]. The reason it is a chain is shown in Figure 3.



Figure 3

Definition of M_2. M_2 consists of 2 steps.

Step 1. Find a chain from V_2 to V_{14}.
Step 2. Make all elements of the chain subconcepts of P.

(On paper, it is shown as follows: Solid arrows are drawn from concept P to elements of the chain. See Figure 4.)



Figure 4

Definition of M_3. Execute all subconcepts and subsub....concepts of P in order, constrained as follows:

(a) A subconcept must be executed before its concept; and

(b) If one concept points to another, the second one must be executed after the first.

Definition of M_4. Remove all subconcepts of P. (On paper, it is shown as follows: Erase all solid arrows that start in P.)

The concept M_1 is a strategy specific for the flashlight. This can be seen by observing that subconcepts V_2 and V_{14} are common subsubconcepts for M_1 and for 1 (on p. A1), the adult's concept of flashlight.

(1) execution of M_2 (mental, which would lead to modification of P (making P concrete). This gives the concept shown in Figure 4.

(2) execution of M_3, which consists of the following sequence of physical actions:

1. V_2 Look at (locate) flashlight.

2. A^{-1} Unscrew cap.

3. $\boxed{V_5}$ Look at front part.

4. $\triangle C^{-1}$ Tilt and remove protector from back of reflector.

5. $\boxed{V_{12}}$ Look at protector with bulb.

6. $\triangle D^{-1}$ Take bulb out of protector.

7. $\boxed{V_{14}}$ Look at bulb.

(3) execution of M_4 (mental, which restores the original abstract P (shown in Figure 2 above.))

We observe three things:

(1) The execution of M_2 makes the plan P concrete (in terms of Baggett & Ehrenfeucht, 1982).

(2) In the execution of M_3 (carrying out the plan), motoric components direct the actions, and visual components direct the attention of the person performing the action.

(3) Execution of M_4 is an example of an abstraction. It removes all subconcepts from P, returning it to its original abstract status.

We shall now show how strategies for removing other parts of the flashlight can be obtained from the strategy shown above, by transfer of learning.

In order to remove the batteries of the flashlight, one needs only to replace V_{14} by V_7 in Figure 2. The reader may check that the execution of such a modified concept would indeed remove the batteries. Similarly, replacing V_{14} by V_{20} would lead to removing the transparent disc.

We note that replacement of V_{14} by V_{22} would lead to a concept that would fail to execute, because there is no chain between V_2 and V_{22} in the concept of the flashlight. (The collar is nondetachable.) But of course the metal part, which the collar is a part of, is detachable and can be removed from the flashlight by replacing V_{14} by V_{18}.

We note also the role of M_4. We assume for a moment that M_4 is not present. (This would be the situation depicted in Figure 2, but with no M_4.) This strategy would lead to the correct removal of the bulb from the flashlight. But attempting the first editing operation, namely, replacing V_{14} by V_7, would give a different result than before. Namely, execution of M_2 would simply add new subconcepts to P, which already has subconcepts assigned, from previous use. It would lead to a sequence of actions which would remove the batteries and remove the bulb. This is an example of carrying unnecessary actions from a previous task to a new task during transfer of learning. The error is rather typical, and in this case it is solely due to not performing

the abstraction operation (that is, to not removing elements from the plan P from the previous task).

A general strategy for removing a part of an object is as follows. We take again our original Figure 2 and make V_2 and V_{14} undefined, as shown in Figure 5.



M_1. concept of removing a part from an object
M_2. Form a plan.
M_3. Carry out the plan.
M_4. Forget the plan
P. Abstract plan

u and w are undefined

Figure 5

That u and w are undefined means that the type of u and w is still a visually executable concept, but they are not executable. That is, they do not have a value that actually corresponds to a visual image.

Obtaining Figure 5 from Figure 2 is an example of generalization, as given in Baggett & Ehrenfeucht, 1982.

We observe that the concept in Figure 5 is not flashlight-specific. (It does not have any subconcepts in common with the flashlight concept.) It can be applied to the conceptualization of any object.

This concept of removing a part is still unsatisfactory in some respects. In particular, the strategy it represents does not tell what to do if execution fails, for example, if a plan is not found, or if execution of the plan fails, for one reason or another.

For an executable concept X we will denote by X' the failure of execution. (This convention can be seen in 3. functionality (adult), where L' denotes failure to detect the light.) When there are pointers going out from an executable concept, we will make a distinction about which pointers have to be followed when the execution is a success versus when the execution is a failure. We graphically represent this as follows:



(We are not introducing an new type of pointer. We are simply indicating which pointer has to be followed, depending on the success or failure in the execution of concept X.) We note that this is the simplest (and most important) example of automatic decision making, as viewed in our framework.

In the example in Figure 6, we have added new linguistic subconcepts to our concept of removing parts. (Linguistic concepts are executable in our framework.) So now, application of the strategy in Figure 6 to any object would lead to one of three outcomes:



Figure 6

(1) removing a part, or

(2) verbal output, "it cannot be done," for the case where a plan cannot be formed; or

(3) verbal output, "I cannot do it," for the case where the plan was successfully formed, but execution of the plan failed, that is, one of the motoric or visual components of the concrete concept P failed to execute.

2. Inferences

Our framework does not include any system of formal rules of logic. There are two reasons for this. First, we doubt the psychological validity of logical rules, as formulated in logical systems (people don't seem to think according to the rules of logic). Second, we don't see the need for such a set of rules in our framework.

Basic inferences are directly represented by pointers in our knowledge representation. There is one difference between our approach and logical inferences: In our representation, a pointer from G (push switch forward) to L (light is on), shown in 3. functionality (adult), does not indicate that whenever the person pushes the switch forward, the light will be one. It indicates only that after pushing the switch forward, the person should expect the light to be on, and should try to confirm the expectation in this case by looking for the light.

Forming a chain of reasoning is not obtained by application of any rules of logic, but by the search for a chain of concepts, as in the example above. The definition of chain given above is just an example. Different definitions of chains would correspond to different methods of reasoning.

Another example of inference is given in Figure 6, when the person says, "It cannot be done." In this case, the inference is very simple. "It cannot be done" expresses the fact that the plan for action cannot be formed, and therefore action is impossible. This shows, among other things, that all

inferences are not universal (in our framework). Rather, they are situation-dependent. The conclusion, "It cannot be done," would be reached by our fictitious child, when the child is asked to remove the bulb from the flashlight. But it would not be reached by our adult.

C. Instructions

Let us assume that the adult above wants to teach the child how to fix a malfunctioning flashlight, or to do some other task related to the flashlight. (For convenience we henceforth refer to the adult as A and the child as B.) We consider that there are two essential elements in this process:

(1) A needs to find out what B knows. This means A should construct a concept that is as close as possible to the concept B has. Ideally, A will have, besides his own concept of the flashlight, also the concept of the flashlight that B has.

(2) A has to instruct B. The method of instruction within our framework will be just a strategy, requiring planning and actions. A can use different strategies, depending on the situation, but all will have one thing in common: The objective of the instruction is to make B modify his concept in some specific way. (In our framework, this means that B has learned.)

There are many possibilities for A to achieve (1) mentioned above. One is to give B some task to do involving the flashlight and see how B performs.

In our example, suppose A gives B a flashlight with a burned out bulb and says, "Can you fix it for me?" Here are some hypothetical reactions of B, based on B's conceptualization: B pushes the switch forward and backward a few times with no result. He then says, "The batteries are bad. Do you have any good batteries?" After being given new batteries, B replaces the old batteries with the new ones and pushes the switch several more times, again with no results. He says, "I cannot fix it. It is broken."

We notice this simple interaction gives a pretty fair summary of B's conceptualization, both in terms of the actions that B can perform, and his knowledge about how the flashlight works.

But A's interpretation of B's behavior depends on A's conceptualization of a flashlight. In order to obtain B's conceptualization, A needs: (A) his own conceptualization and (2) an observation of B's behavior. This brings up a new mechanism not mentioned in the above example. The mechanism is building new concepts (in this case, the conceptualization of B), based on the concepts that A already has and on input stimuli, an observation of the behavior of B. Treatment of this problem will be discussed in part III.D.4 of this addendum.

Regarding (2) above, the method of teaching is treated as any other strategy: it involves planning and execution of the plan.

We discuss here a small but important technical point: How, in our representation of knowledge, will actions performed by different people be represented?

Suppose John changed the batteries. This information would be represented as in Figure 7.



1. John changed batteries, or Batteries were changed by John.
2. the person John
3. batteries
X. action of changing

Figure 7

This representation differs from the representation used in semantic networks, where John and the action would be directly connected by a labelled pointer, indicating that John is the actor of the action. it also differs from the propositional approach, in which John would be treated as an argument of the action in the proposition.

Our approach, on the other hand, is the one used in standard linguistic processing, where simple sentences are divided into noun phrase and verb phrase:



NP corresponds to John, and VP corresponds to an action, together with its arguments.

Thus, our person A would represent the fact that B replaced the batteries as in Figure 7 (with B substituted for John).

D. An Overview of the Proposed Programs

The (planned) program will consist of:

(1) a data base
(2) special purpose procedures

  (a) concept processing procedures
  (b) output procedures

(3) an English parser
(4) a concept building procedure
(5) a driver

Each of these will be briefly discussed.

(1) The data base

The data base will contain knowledge represented as concepts, as shown above. It will contain a concept of the object, with the amount of detail corresponding to the amount of detail used in the description of person A above. It will also contain repair concepts that would correspond to the concept of removing a part of the object, as shown above.

We have estimated that a detailed representation of a concept for repairing the flashlight, one that would cover a malfunction in any part of the electric circuit or in a mechanical part, or in a combination, is approximately of the same size as the description of the flashlight given for the adult. (We use here the number of subconcepts as a measure of the size.)

The data base will also contain a teaching strategy. Its size will depend on the strategy used. Also, other concepts will be built by the program and added to the data base during interaction of the program with the subject.

The concepts which will be put in the data base (conceptualizations of the objects, repair strategies, etc.) will be experimentally derived and tested (and not fictitious, namely, invented by the experimenter, as were the concept of the flashlight given above).

(2) Special purpose procedures

(a) concept processing procedures

The program will contain basic procedures corresponding to basic mental operations such as M_2, M_3, and M_4 above. (A special procedure for M_1 is not needed, because execution of M_1 consists of execution of M_2, M_3, and M_4.) Among the basic procedures, there will be ones for concept comparison, which have not been illustrated in the examples above. (All special purpose procedures will be data-driven. That is, the order in which they are evoked will be determined by concepts in the data base.)

(b) output procedures

The program will also contain procedures that control visual and verbal displays on the screen. These will also be data-driven, in the following way: Each motorically executable concept (as in the examples above) will correspond to having one the screen a segment of videotape showing performance of the action. Visual concepts will correspond to still pictures. Linguistic concepts will provide the text. Thus, the action of the program in executing concept M_1 (in figure 4), stored in the data base, will be as follows:

(1) Execution of M_2: Search through data base, constructing a chain, and connect the chain to P.

(2) Execution of M_3: Show on the screen the sequence

(i) still picture of flashlight
(ii) moving video of unscrewing cap
(iii) still picture of front part

(iv) moving video of tilting and removing protector from back of reflector
(v) still picture of protector with bulb
(vi) moving video of taking bulb out of protector
(vii) still picture of bulb

We note that this part of the program is the most task-specific. Clearly, the visual display will depend on the object to be repaired.

(3) English parser

The English parser will take the subject's input and construct a very simple knowledge representation of it (in the form of a concept), as is shown, for example, in Figure 7.

At the present time some students of A. Ehrenfeucht in the Computer Science Department are testing a rather sophisticated English parser, written in LISP, that possibly can be used for this purpose.

(4) Concept building procedure

This procedure is the most complex part of the whole program. It will take as its input the sequence of interactions between a subject and the program, and the concept of the object from the data base, and return to the data base a new concept, "how, at a particular point in time, the subject conceptualizes the object," Similarly, when taking from the data base the concept of "how to repair the object", it would return the concept, "how the subject thinks the object should be repaired."

To be a little more specific, let us assume (still using the flashlight example) that the following sequence has been shown on the screen:

still picture of flashlight
moving video of unscrewing cap
moving video of removing batteries
moving video of putting batteries back in
moving video of screwing cap back on

The subject's response, typed on the terminal, is, "I cannot unscrew it." From the point of view of internal processing, the special purpose output procedures A^{-1} B^{-1} BA were evoked. The concept, call it 101, shown in Figure 8, would be created by the parser.



101. Subject cannot unscrew the cap.

$(A^{-1})'$ action of unscrewing the cap was unsuccessful

Figure 8

The sequence A^{-1}, B^{-1}, B, A, 101 is the actual input for the concept building procedure. After this interaction, the concept of how the subject conceptualizes the flashlight would have A^{-1} as a nonexecutable subconcept.

The algorithm used in the concept building program will be a modification of the cluster analysis algorithm described in Perry (1983).

(5) A driver

A driver will synchronize the action of other procedures and keep track of concepts in the data base which are processed at a given time.

E. Comparison of the Proposed Knowledge Representation with Others

The knowledge representation we proposed seems to satisfy the criteria in II.B., 1, 2, and 3, above. Further, each of the three elements has been partially tested in practice. Some of the details (e.g., for matching behavior in a repair task with the representation) were presented in Baggett (1984). We give here a brief summary.

1.a. We can construct a subject's hypothetical conceptualization from the subject's performance (Baggett, 1983, 1984; Baggett & Ehrenfeucht, 1985, Baggett & Perrig, 1985).

1.b. We have been able to manipulate subjects' assembly performance by changing the representation of an object presented in an instructional videotape. (These were the "typical" vs. "minority" conceptualization results presented in Baggett & Ehrenfeucht, 1985). This means that our representational approach is psychologically valid and predictive.

2. Regarding relativity of the representation, when we match performance of a subject to the representation, we know what is never used and what is needed to make a complete representation. Further, we know how to test for extraneous material and completeness (Baggett, 1984).

3. Concerning the efficiency of the representation, we know about the size of the data base from objects containing nearly 100 pieces and over 100 physical connections. We also know about the algorithms which will operate on the data base.

First, in our assembly tasks we have worked with conceptualizations (representations) from hundreds of subjects. The data bases constructed were fairly small. Preliminary results from our repair tasks show that the data bases will be of similar size. Second, the algorithms we have used (Perry, 1983) have been fast enough for the tasks we have analyzed thus far. They have not been tested, however, in real-time use, that is, for processing that must be done while the subject works at the terminal.

4. A Comparison of Our Representation with KRL

Henry Halff (personal communication, 1983) asked whether KRL, a knowledge representation language (Bobrow & Winograd, 1977), has similarities with our representation. We very briefly discuss the similarities and also the differences.

a. In KRL knowledge is organized around conceptual entities. This is similar in our approach in which conceptual entities are primitives. However, KRL stresses descriptions associated with the entities, which we do not have.

b. Partial knowledge is represented in both approaches. We have different decompositions (conceptualizations); KRL has different descriptors. KRL represents different viewpoints; we have different representations for different purposes.

c. Both approaches are object-oriented. But our approach treats reasoning as an object, the same as other concepts. For us, a strategy, or the logic used, etc., are objects just as any other concepts are.

d. KRL clusters its information according to its use by processors. We do not. For us, a concept contains a mixture of elements, to be used by various processors.

e. KRL is a language. We are not trying to develop a language for our knowledge representation. We can use any number of existing languages.

The most important difference between KRL and our approach is that KRL works with text objects and descriptions, while in our data base visual elements are an essential part. Some objects in our data base do not even have a verbal description, except for a simple label for identification. For example, in our sequencing of the shots of a videotape (Baggett, 1984), there are no linguistic descriptions of what the sequences show, and such descriptions are also not needed.

5. Our Approach and Frames and Semantic Networks

Conceptually, our approach is closer to frames (Minsky, 1975; Bobrow & Winograd, 1977; Goldstein & Roberts, 1977; Novak, 1977; Charniak, 1978) than to any other class of representation.

Mathematically, it is closer to semantic networks, but our nodes and links mean very different things (see III. above) than they do for semantic networks.

One difference with semantic networks is that our procedures (e.g., strategies, etc.) are objects of the same status as any other data; they are concepts that are executable. When procedures are used, they are executed (mentally or physically).

6. Our Approach Contrasted with Paivio and Linguistically Based Theories

The main difference between our knowledge representation and that of Paivio (1971) and others is that in our representation each concept contains a mixture of elements of different types: abstract, motoric, visual, and verbal. (As mentioned in II.A., Jackendorff (1983) hypothesizes a level of representation at which linguistic, sensory, and motor information are compatible. He does not specify the structure or processes in detail, however.) Paivio's approach specifically postulates a distinction between verbal and imaginal processing (dual code). He treats both processes as parallel and as operating on different objects.

Some other approaches (for example, Kintsch & van Dijk (1978) and some versions of semantic networks) concentrate almost exclusively on processing linguistic elements, and put everything else in the category of "world knowledge."

7. The Role of Background, or World Knowledge

Our approach differs from others on the role of background or world knowledge in problem solving, that is, in doing a specific task. In our framework (as was briefly mentioned in III.A. above) the role of background seems to be very unimportant. Namely, either elements needed to solve the task are already incorporated into the concept involved in solving the task (just as some knowledge of the circuitry is incorporated into our adult's conceptualization of a flashlight), in which case the concepts used are sufficient by themselves to solve the problem (or perform the task); or necessary elements are not incorporated, in which case an attempt to perform the task would fail until the concepts are modified and extended.

IV. Final Remarks

In the introduction to their 1982 book Intelligent Tutoring Systems (ITS), Sleeman and Brown state that the designers of intelligent tutoring systems, such as Brown, Burton, and deKleer (1981), Burton and Brown (1981), Clancey (1981), Genesereth (1981), Goldstein (1981), Kimball (1981), Miller (1981), Sleeman and Hendley (1981), and Smith, Graves, Blaine, and Marinov (1975), are dissatisfied with their system's overall performance. They continue, "The following are some of the acknowledged shortcomings:

(1) The instructional material produced in response to a student's query or mistake is often at the wrong level of detail, as the system assumes too much or too little student knowledge.

(2) The system assumes a particular conceptualization of the domain, thereby coercing a student's performance into its own conceptual framework. None of these systems can discover, and work within, the student's own (idiosyncratic) conceptualization to diagnose his "mind bugs" within that framework.

(3) The tutoring and critiquing strategies used by these systems are excessively ad hoc reflecting unprincipled intuitions about how to control their behavior. Discovering consistent principles would be facilitated by constructing better theories of learning and mislearning--a task requiring detailed psychological theories of knowledge representation and belief revision.

(4) User interaction is still too restrictive, limiting the student's expressiveness and thereby limiting the ability of the tutor's diagnostic mechanisms." (p. 3)

Our approach contains methods for potentially reducing, and perhaps eliminating, these shortcomings. Very briefly, we consider each of the 4 points above and how our system will treat it.

1. Information at the wrong level of detail. (ITS)

Our system (program) will discover what a subject's conceptualization is, namely, what the subject knows. Using a concept comparison procedure, it will compare that conceptualization to what the conceptualization should be. Therefore it can be very much on target in providing the information the subject needs to know to properly modify his concept. (It can be far more accurate than device model instruction (Kieras and Bovair, 1983) as well; device model instruction provides the same information for everybody.) The system can also test if the information provided is incorporated into the subject's conceptualization.

2. The system coerces a student into its own conceptual framework. (ITS)

Our approach can potentially make a large contribution here. Our system (program) will derive an individual subject's own conceptualization, and communicate with the subject using his own conceptualization.

3. Strategies are based on unprincipled intuitions. Better theories of learning need to be constructed. (ITS)

We have (in our theoretical paper, parts I and II) the beginnings of a detailed theory of learning. This research will be an opportunity to give it a major test.

4. User interaction limits a student's expressiveness, thereby limiting the tutor's diagnostic ability. (ITS)

First we consider subject-to-program communication. In our past work we have found that we can construct a subject's conceptualization of the structure of an object he is building, from an abstract graph and order of request for pieces. Such information can be obtained without any verbal input from the subject. This approach will be included in the design of the concept building procedure in our program. It will rely very little on the linguistic content of a subject's response, but mainly on the order of responses and possibly the time between responses. Therefore, construction of the subject's "conceptualization," which is needed for a diagnostic of the subject's problem, will not be severely restricted by limitations of the parser.

Second, we consider program-to-subject communication. In our present work we have found that a properly organized visual presentation plays a major role in instructions for how to build an object. The accompanying linguistic information clearly plays a far smaller role. The planned program is heavily biased toward presenting pictorial output. (Of course, the actual ratio of verbal to nonverbal material will be determined experimentally.)

A significant difference between the program presented here and some other "successful" programs (for example, MYCIN (Shortliffe, 1974, 1976) and GUIDON (Clancey, 1981) is as follows. In MYCIN and GUIDON, for example, there is a clear division between the expert part and the teaching part. Here, we do not have that distinction at all. All elements (student

modeling, factual knowledge, inferences and teaching method) are treated uniformly.

We hope that the theoretical ideas given here, and their practical implementation, may contribute to reducing or eliminating the main shortcomings of current programs that have been acknowledged by authors of intelligent tutoring systems.

Researchers working in cognitive architectures and their relationship to behavior (e.g., Anderson, 1984; Bobrow & Winograd, 1977; Langley, 1984) have observed that for an intelligent tutoring system, choosing a good representation for a set of tasks is crucial. A key point that we emphasize is that our knowledge representation seems to be right for the set of tasks that we plan to study. For example, we have had success in partially testing it. The representation is simple but powerful and seems to contain the right components. We discussed above how it can be matched with subjects' behavior, that it is complete and does not contain extraneous elements, and it seems to be efficient. Further, its multimedia aspect seems to be (other than the work by Munro and his colleagues on the General Maintenance Training Simulator) unique.

Anderson (1984) has urged that computerized tutors be used by many researchers as a paradigm for studying and testing theories of learning and skill acquisition. We hope to contribute to this effort, and we expect that through the research proposed here, our theoretical framework will develop into a full testable theory.

Footnote

This research was supported by Office of Naval Research contracts #N00014-78-C-0433, #N00014-84-C-0112, and #N00014-85-K-0060. Some of this work was reported at the ONR Contractors' Meeting on Instructional Technology for Advanced Training Systems in Atlanta, January 1985. We thank Debbie Aguiar for painstakingly typing the many diagrams, as well as the entire manuscript. This article is Technical Report No. 142 of the Institute of Cognitive Science.

References

Anderson, J. (1984). New perspectives on intelligent computer assisted instruction; Cognitive principles in the design of computer tutors. Talks at conference of the Cognitive Science Society, Boulder, CO.

Anderson, J. & Bower, G. (1973). Human associative memory. Washington, D.C.: Winston.

Anderson, J., Kline, P., & Beasley, C. (1979). A general learning theory and its application to schema abstraction. In G. Bower (Ed.), The psychology of learning and motivation, (Vol. 13). New York: Academic Press, 277-318.

Baggett, P. (1984). Designing effective instructions. Talk at ONR Contractors' Meeting, Tucson, AZ.

Baggett, P. (1983). Four principles for designing instructions. IEEE Transactions on Professional Communication, 99-106.

Baggett, P. & Ehrenfeucht, A. (1982). A framework for forming, modifying, and using multimedia concepts in memory, Part I. Mathematical formulation. Technical Report 118-ONR, University of Colorado. (Part II. Psychological interpretation. In progress.)

Baggett, P. & Ehrenfeucht, A. (1985). Conceptualizing in assembly tasks. Technical Report 139-ONR, Institute of Cognitive Science, University of Colorado.

Baggett, P. & Perrig, P. (1985) Conceptualizing and building in an assembly task: What actually develops from child to adult. Manuscript submitted for publication.

Bobrow, D. & Winograd, T. (1977). An overview of KRL, a knowledge representation language. Cognitive Science, 1, 3-46.

Brachman, R. (1979). What's in a concept: Structural foundations for semantic networks. In N. Findler (Ed.), Associative networks: The representation and use of knowledge by computers. New York: Academic Press.

Brown, J.S., Burton, R.R., & deKleer, J. (1982). Pedagogical, natural language and knowledge engineering techniques in SOPHIE I, II, and III. Chapter 11 in Sleeman, D. and Brown, J.S. Intelligent Tutoring Systems. New York: Academic Press.

Burton, R.R. & Brown, J.S. (1981). An investigation of computer coaching for informal learning activities. Chapter 4 in Sleeman and Brown.

Carbonell, J. (1970). AI in CAI: An artificial intelligence approach to computer-assisted instruction. IEEE Transactions on Man-Machine Systems. MMS-11: 190-202.

Carbonell, J. & Collins, A. (1974). Natural semantics in AI. IJCAI, 3, 344-351.

Charniak, E. (1978). With spoon in hand this must be the Eating frame. TINLAP-2, 187-193.

Clancey, W. (1981). Tutoring rules for providing a case method dialogue. Chapter 10 in Sleeman and Brown.

Davis, R., Buchanan, B., & Shortliffe, E. (1977). Production rules as a representation for a knowledge-based consultation system. Artificial Intelligence, 8, 15-45.

Davis, R. & King, J. (1977). An overview of production systems. In E. Elcock & D. Michie (Eds.), Machine Intelligence, 8, Chicester, England: Horwood, 300-332.

Genesereth, M.R. (1981). The role of plans in intelligent tutoring systems. Chapter 7 in Sleeman and Brown.

Goldstein, I.P. (1981). The genetic graph: A representation for the evolution of procedural knowledge. Chapter 3 in Sleeman and Brown.

Goldstein, I. & Roberts, R. (1977). NUDGE, a knowledge-based scheduling program. ICJAI, 5, 257-263.

Halff, H. (1983). Personal communication.

Hedrick, C. (1976). Learning production systems from examples. Artificial Intelligence, 7, 21-49.

Hendrix, G. (1977). Expanding the utility of semantic networks through partitioning. Artificial Intelligence, 7, 50-69.

Jackendorff, R. (1983). Semantics and cognition. Cambridge: MIT Press.

Kieras, D.E. & Bovair, S. (1983). The role of a mental model in learning to operate a device. Technical Report No. 13, University of Arizona.

Kimball, R.A. (1981). A self-adapting, self-improving tutor for symbolic integration. Chapter 12 in Sleeman and Brown.

Kintsch, W. & van Dijk, T.A. (1978). Toward a theory of text comprehension and production. Psychological Review, 85, 363-394.

Langley, P. (1984). Cognitive architectures and principles of behavior. Talk at Cognitive Science Society Conference.

Lenat, D. (1982). AM: An approach to discovery in mathematics. In Davis, R. & Lenat, D., Knowledge-based systems in artificial intelligence. New York: McGraw-Hill, 1982.

Miller, M.L. (1981). A structured planning and debugging environment for elementary programming. Chapter 6 in Sleeman and Brown.

Minsky, M. (1975). A framework for representing knowledge. In P. Winston (Ed.), The psychology of computer vision. New York: McGraw-Hill, 211-277.

Munro, A. (1984). Personal communication.

Norman, D. & Rumelhart, D. (1975). Explorations in cognition. San Francisco: Freeman.

Novak, G. (1977). Representation of knowledge in a program for solving physics problems. IJCAI, 5, 286-291.

Paivio, A. (1971). Imagery and Verbal Processes. New York: Holt, Rinehart & Winston.

Perry, R.M. (1983). Computer techniques for cluster analysis. ONR Technical Report, Department of Computer Science, University of Colorado.

Quillian, M. (1968). Semantic memory. In M. Minsky (Ed.), Semantic information processing. Cambridge: MIT Press.

Rychener, M. (1976). Production systems as a programming language for artificial intelligence applications. Computer Science Department, Carnegie-Mellon University.

Shneiderman, B. (1980). Software psychology. Boston: Little, Brown.

Shortliffe, E.H. (1974). MYCIN: A rule-based computer program for advising physicians regarding antimicrobial therapy selection. Ph.D. dissertation in Medical Information Sciences, Stanford University. Also, (1976). Computer-Based Medical Consultations: MYCIN. New York: American Elsevier.

Sleeman, D. & Brown, J.S. (1982). Intelligent Tutoring Systems. New York: Academic Press.

Sleeman, D. & Hendley, R.J. (1981). ACE: A system which analyzes complex explanations. Chapter 5 in Sleeman and Brown.

Smith, R.L., Graves, H., Blaine, L.H., & Marinov, V.G. (1975). Computer-assisted axiomatic mathematics: Informal rigor. In O. Lecarne and R. Lewis (Eds.) Computer Education. Amsterdam: North Holland.

Stefik, M. (1980). Planning with constraints. Report No. 784, Computer Science Department, Stanford University.

Vere, S. (1977). Relational production systems. Artificial Intelligence, 8, 47-68.

Walker, D. (1976). Speech understanding research. New York: North-Holland.

Waterman, D. (1970). Generalization learning techniques for automating the learning of heuristics. Artificial Intelligence, 1, 121-170.

Wilensky, R. (1984). KODIAK: A knowledge representation language. Talk at Cognitive Science Society Conference.

Woods, W. (1975). What's in a link: Foundations for semantic networks. In Bobrow, D. & Collins, A. (Eds.), Representation and understanding: Studies in cognitive science. New York: Academic Press, 35-82.

Woods, W., et al. (1976). Speech understanding systems: Final report (Report No. 3438). Cambridge, MA: Bolt, Beranek, and Newman, Inc.

The 13 diagrams below (on pages A1 through A5) represent a fictitious adult's conceptualization of a flashlight.



1. flashlight
2. structure
3. functionality



2. structure
4. case with batteries
5. front part with protector and bulb

A. screwing on cap

A^{-1}. unscrewing cap

C_3. electrical connection; see 29. and 30. below.



4. case with batteries
6. case
7. batteries

B. putting batteries in

B^{-1}. taking batteries out

C_4 and C_5. electrical connections; 29. and 30. below.



7. batteries

8. one battery
9. another battery
10 and 11. each battery is charged
V_9 = V_8 because the batteries are visually identical.



5. front part with protector and bulb

12. protector with bulb
13. cap
C. snap protector into back of reflector
C^{-1}. tilt and remove protector with bulb from back of reflector.
C_2. electrical connection; see 29. and 30. below.



12. protector with bulb

14. bulb
15. protector
16. not burned out
V_{16}. continuous filament can be seen in bulb
D. put bulb into protector
D^{-1}. take bulb out of protector



13. cap

17. plastic part
18. metal part

E. snap metal part into plastic part

E^{-1}. remove metal part



17. plastic part

19. plastic ring
20. transparent disc

F. put disc into ring

F^{-1}. remove disc from ring



18. metal part

21. reflector
22. collar (nondetachable)



6. case

23. plastic tube
24. switch with contact bar
25. coil spring (nondetachable)
V_{25}. is seen only after removing batteries



24. switch with contact bar

26. switch
27. contact bar (nondetachable)
V_{27}. is seen only after removing batteries



3. functionality

14. bulb
28. electric circuit
29. closed circuit
30. open circuit
31. lighted bulb
L. light is on
L'. light is off
G. push switch forward
G^{-1}. push switch backward
C_1. electrical connection; see 29. and 30. below
C'_1. lack of electrical connection; see 29. and 30. below.



29. closed circuit
30. open circuit

25. spring
27. bar
22. collar
14. bulb
8. battery
9. battery

C_1. bar is connected to collar

C'_1. bar is not connected to collar

C_2. collar is (electrically) connected to bulb

C_3. bulb is connected to battery

C_4. battery is connected to battery

C_5. battery is connected to spring

C_6. spring is connected to bar

C_2 is made by C.

C_3 is made by A.

C_4 and C_5 are made by B.

C_6 should be permanent

The 7 diagrams below (on pages C1 through C3) represent a fictitious child's conceptualization of a flashlight.



1. flashlight
2. structure
3. functionality



2. structure

4. case with batteries
5. front part with protector and bulb

A. screw on cap

A^{-1}. unscrew cap



4. case with batteries

6. case
7. batteries

B. put batteries in

B^{-1}. take batteries out



7. batteries

8. one battery
9. another battery
10 and 11. each battery is good
$V_9 = V_8$ because the batteries are visually identical



5. front part with protector and bulb

14. bulb



6. case

23. plastic tube
26. switch
27. bar
25. coil spring



3. functionality

L. light is on
L'. light is off

G. push switch forward
G^{-1}. push switch backward

7. batteries (good)

BEST COPY AVAILABLE

Personnel Analysis Division
AF/MPXA
5C360, The Pentagon
Washington, DC 20330

Air Force Human Resources Lab
AFHRL/MPD
Brooks AFB, TX 78235

Air Force Office
of Scientific Research
Life Sciences Directorate
Bolling Air Force Base
Washington, DC 20332

Dr. Robert Ahlers
Code N711
Human Factors Laboratory
NAVTRAEQUIPCEN
Orlando, FL 32813

Dr. Ed Aiken
Navy Personnel R&D Center
San Diego, CA 92152

Dr. William E. Alley
AFHRL/MOT
Brooks AFB, TX 78235

Dr. Earl A. Alluisi
HQ, AFHRL (AFSC)
Brooks AFB, TX 78235

Dr. John R. Anderson
Department of Psychology
Carnegie-Mellon University
Pittsburgh, PA 15213

Technical Director
Army Research Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

Special Assistant for Projects
OASN(M&P)
5D300, The Pentagon
Washington, DC 20350

Dr. Alan Baddeley
Medical Research Council
Applied Psychology Unit
15 Chaucer Road
Cambridge CB2 2EF
ENGLAND

Dr. Patricia Baggett
University of Colorado
Department of Psychology
Boulder, CO 80309

Dr. Eva L. Baker, Director
UCLA Center for the
Study of Evaluation
145 Moore Hall
UCLA
Los Angeles, CA 90024

Dr. John Black
Yale University
Box 11A, Yale Station
New Haven, CT 06520

Code N711
Attn: Arthur S. Blaiwes
Naval Training Equipment Center
Orlando, FL 32813

Dr. Nick Bond
Office of Naval Research
Liaison Office, Far East
APO San Francisco, CA 96503

Dr. Lyle Bourne
Department of Psychology
University of Colorado
Boulder, CO 80309

Dr. Gordon H. Bower
Department of Psychology
Stanford University
Stanford, CA 94306

Dr. Richard Braby
TAEG
NAVTRAEQUIPCEN
Orlando, FL 32813

Dr. Robert Breaux
Code N-095R
NAVTRAEQUIPCEN
Orlando, FL 32813

Friday, April 5, 1985 7:58 am

Baggett & Ehrenfeucht, "Conceptualizing in Assembly Tasks"

Dr. John S. Brown
XEROX Palo Alto Research
Center
3333 Coyote Road
Palo Alto, CA 94304

Dr. Bruce Buchanan
Department of Computer Science
Stanford University
Stanford, CA 94305

Dr. Patricia A. Butler
NIE Mail Stop 1806
1200 19th St., NW
Washington, DC 20208

Dr. Richard Cantone
Navy Research Laboratory
Code 7510
Washington, DC 20375

Dr. Jaime Carbonell
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Mr. Jim Carey
Coast Guard G-PTE
2100 Second St., S.W.
Washington, DC 20593

Dr. Pat Carpenter
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Dr. Robert Carroll
NAVOP 115
Washington, DC 20370

Dr. Fred Chang
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Davida Charney
Department of Psychology
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr. Eugene Charniak
Brown University
Computer Science Department
Providence, RI 02912

Dr. Michelene Chi
Learning R & D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Dr. Susan Chipman
Code 442PT
Office of Naval Research
800 N. Quincy St.
Arlington, VA 22217-5000

Dr. William Clancey
Computer Science Department
Stanford University
Stanford, CA 94305

Director
Manpower Support and
Readiness Program
Center for Naval Analysis
2000 North Beauregard Street
Alexandria, VA 22311

Scientific Advisor
to the DCNO (MPT)
Center for Naval Analysis
2000 North Beauregard Street
Alexandria, VA 22311

Chief of Naval Education
and Training
Liaison Office
Air Force Human Resource Laboratory
Operations Training Division
Williams AFB, AZ 85224

Assistant Chief of Staff
Research, Development,
Test, and Evaluation
Naval Education and
Training Command (N-5)
NAS Pensacola, FL 32508

BEST COPY AVAILABLE

Office of the Chief
of Naval Operations
Research Development
& Studies Branch
NAVOP 0187
Washington, DC 20350

Dr. Allan M. Collins
Bolt Beranek & Newman, Inc.
50 Moulton Street
Cambridge, MA 02138

Dr. Stanley Collyer
Office of Naval Technology
800 N. Quincy Street
Arlington, VA 22217

Dr. Lynn A. Cooper
Learning R&D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Dr. Lee Cronbach
16 Laburnum Road
Atherton, CA 94205

Dr. Mary Cross
Department of Education
Adult Literacy Initiative, Room 4145
[illegible] Maryland Avenue, SW
Washington, DC 20202

CTB/McGraw-Hill Library
2500 Garden Road
Monterey, CA 93940

CDR Mike Curran
Office of Naval Research
800 N. Quincy St.
Code 270
Arlington, VA 22217

Bryan Dallman
AFHRL/LRT
Lowry AFB, CO 80230

Dr. Charles E. Davis
Personnel and Training Research
Office of Naval Research
Code 442PT
800 North Quincy Street
[illegible]

Defense Technical
Information Center
Cameron Station, Bldg 5
Alexandria, VA 22314
Attn: TC
(12 Copies)

Dr. Thomas M. Duffy
Department of English
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Edward E. Eddowes
CNATRA N301
Naval Air Station
Corpus Christi, TX 78419

Dr. John Ellis
Navy Personnel R&D Center
San Diego, CA 92252

Dr. Jeffrey Elman
University of California
Department of Linguistics
La Jolla, CA 92093

Dr. Richard Elster
Deputy Assistant Secretary
of the Navy (Manpower)
Washington, DC 20350

Dr. Susan Embretson
University of Kansas
Psychology Department
Lawrence, KS 66045

ERIC Facility Acquisitions
4833 Rugby Avenue
Bethesda, MD 20014

Dr. K. Anders Ericsson
University of Colorado
Department of Psychology
Boulder, CO 80309

Edward Esty
Department of Education, OERI
MS 40
1200 19th St., NW
Washington, DC 20208

Dr. Beatrice J. Farr
U. S. Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Marshall J. Farr
2520 North Vernon Street
Arlington, VA 22207

Mr. Wallace Feurzeig
Educational Technology
Bolt Beranek & Newman
10 Moulton St.
Cambridge, MA 02238

Dr. Craig I. Fields
ARPA
1400 Wilson Blvd.
Arlington, VA 22209

Dr. Gerhard Fischer
Liebiggasse 5/3
A 1010 Vienna
AUSTRIA

Dr. Linda Flower
Carnegie-Mellon University
Department of English
Pittsburgh, PA 15213

Dr. Ken Forbus
Department of Computer Science
University of Illinois
Champaign, IL 61820

Dr. Jude Franklin
Code 7510
Navy Research Laboratory
Washington, DC 20375

Dr. John R. Frederiksen
Bolt Beranek & Newman
50 Moulton Street
Cambridge, MA 02138

Dr. Michael Genesereth
Stanford University
Department of Computer Science
Stanford, CA 94305

Dr. Dedre Gentner
University of Illinois
Department of Psychology
603 E. Daniel St.
Champaign, IL 61820

Dr. Robert Glaser
Learning Research
& Development Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15260

Dr. Marvin D. Glock
217 Stone Hall
Cornell University
Ithaca, NY 14853

Dr. Joseph Goguen
SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025

Dr. Sherrie Gott
AFHRL/MODJ
Brooks AFB, TX 78235

Dr. James G. Greeno
University of California
Berkeley, CA 94720

Dr. Henry H. Halff
Halff Resources, Inc.
4918 33rd Road, North
Arlington, VA 22207

William E. Hartung
Product Manager for PEAM
Army Research Institute for the
Behavioral and Social Sciences
5001 Eisenhower Ave.
Alexandria, VA 22333

Prof. John R. Hayes
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Barbara Hayes-Roth
Department of Computer Science
Stanford University
[illegible]

BEST COPY AVAILABLE

Dr. Frederick Hayes-Roth
Teknowledge
525 University Ave.
Palo Alto, CA 94301

Dr. Joan I. Heller
Graduate Group in Science and
Mathematics Education
c/o School of Education
University of California
Berkeley, CA 94720

Dr. Jim Hollan
Code 51
Navy Personnel R & D Center
San Diego, CA 92152

Dr. John Holland
University of Michigan
2313 East Engineering
Ann Arbor, MI 48109

Melissa Holland
American Institutes for Research
1055 Thomas Jefferson St., NW
Washington, DC 20007

Dr. Keith Holyoak
University of Michigan
Human Performance Center
330 Packard Road
Ann Arbor, MI 48109

Dr. Earl Hunt
Department of Psychology
University of Washington
Seattle, WA 98105

Dr. Ed Hutchins
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Zachary Jacobson
Bureau of Management Consulting
365 Laurier Avenue West
Ottawa, Ontario K1A 0S5
CANADA

Dr. Marcel Just
Carnegie Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Milton S. Katz
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Steven W. Keele
Department of Psychology
University of Oregon
Eugene, OR 97403

Maj. John Keene
ADP Systems Branch
C3 Development Center (D104)
MCDEC
Quantico, VA 22134

Dr. Norman J. Kerr
Chief of Naval Education
and Training
Code 00A2
Naval Air Station
Pensacola, FL 32508

Dr. David Kieras
University of Michigan
Technical Communication
College of Engineering
1223 E. Engineering Building
Ann Arbor, MI 48109

Dr. Peter Kincaid
Training Analysis & Evaluation Group
Dept. of the Navy
Orlando, FL 32813

Dr. Walter Kintsch
Department of Psychology
University of Colorado
Boulder, CO 80302

Dr. Mazie Knerr
Program Manager
Training Research Division
HumRRO
1100 S. Washington
Alexandria, VA 22314

Dr. Janet L. Kolodner
Georgia Institute of Technology
School of Information &
Computer Science
Atlanta, GA 30332

Friday, April 5, 1985 8:36 am

Baggett & Ehrenfeucht, "Conceptualizing in assembly Tasks"

Dr. Stephen Kosslyn
Harvard University
1236 William James Hall
33 Kirkland St.
Cambridge, MA 02138

Dr. Pat Langley
University of California
Department of Information
and Computer Science
Irvine, CA 92717

Dr. Marcy Lansman
University of North Carolina
The L. L. Thurstone Lab.
Davie Hall 013A
Chapel Hill, NC 27514

Dr. Jill Larkin
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Dr. Alan M. Lesgold
Learning R&D Center
University of Pittsburgh
Pittsburgh, PA 15260

Dr. Jim Levin
University of California
Laboratory for Comparative
Human Cognition
D003A
La Jolla, CA 92093

Dr. Michael Levine
Department of Educational Psychology
210 Education Bldg.
University of Illinois
Champaign, IL 61801

Dr. Clayton Lewis
University of Colorado
Department of Computer Science
Campus Box 430
Boulder, CO 80309

Science and Technology Division
Library of Congress
Washington, DC 20540

Dr. Charlotte Linde
SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025

Dr. Don Lyon
P. O. Box 44
Higley AZ 85236

Dr. William L. Maloy (02)
CNET
Naval Air Station
Pensacola, FL 32508

Dr. Sandra P. Marshall
Department of Psychology
University of California
Santa Barbara, CA 93106

Dr. Richard E. Mayer
Department of Psychology
University of California
Santa Barbara, CA 93106

Dr. Jay McClelland
Department of Psychology
Carnegie-Mellon University
Pittsburgh, PA 15213

Dr. Kathleen McKeown
Columbia University
Department of Computer Science
New York, NY 10027

Dr. Joe McLachlan
Navy Personnel R&D Center
San Diego, CA 92152

Dr. James McMichael
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Barbara Means
Human Resources
Research Organization
1100 South Washington
Alexandria, VA 22314

Dr. Arthur Melmed
724 Brown
U. S. Department of Education
Washington, DC 20208

BEST COPY AVAILABLE

Dr. Al Meyrowitz
Office of Naval Research
Code 433
800 N. Quincy
Arlington, VA 22217-5000

Dr. Andrew R. Molnar
Office of Scientific and Engineering
Personnel and Education
National Science Foundation
Washington, DC 20550

Dr William Montague
NPRDC Code 13
San Diego, CA 92152

Headquarters, Marine Corps
Code MPI-20
Washington, DC 20380

Dr. Allen Munro
Behavioral Technology
Laboratories
1845 Elena Ave.
Redondo Beach, CA 90277

Director
Distribution Department
Naval Military Personnel Command
N-3
Washington, DC 20370

Head, MPM Operations Branch
Naval Military Personnel Command
N-62F
Washington, DC 20370

Assistant for Evaluation,
Analysis, and MIS
Naval Military Personnel Command
N-6C
Washington, DC 20370

Spec. Asst. for Research, Experimental & Academic Programs
Naval Technical Training Command
(Code 016)
NAS Memphis (75)
Millington, TN 38054

Program Manager for Manpower,
Personnel, and Training
NAVMAT 0722
Arlington, VA 22217-5000

Assistant for Planning MANTRAPERS
NAVOP 01B6
Washington, DC 20370

Head
Workforce Information Section
NAVOP 140F
Washington, DC 20370

Head
Manpower, Personnel, Training
and Reserve Team
NAVOP 914D
5A578, The Pentagon
Washington, DC 20350

Leadership Management Education
and Training Project Officer
Naval Medical Command (Code 05C)
Washington, DC 20372

Mr. Bill Neale
HQ ATC/TTA
Randolph AFB, TX 78148

Technical Director
Navy Health Research Center
P.O. Box 85122
San Diego, CA 92138

Dr. Richard E. Nisbett
University of Michigan
Institute for Social Research
Room 5261
Ann Arbor, MI 48109

Dr. Donald A. Norman
Institute for Cognitive Science
University of California
La Jolla, CA 92093

Director, Training Laboratory
NPRDC (Code 05)
San Diego, CA 92152

Director, Manpower and Personnel
Laboratory
NPRDC (Code 06)
San Diego, CA 92152

Director
Human Factors
& Organizational Systems Lab.
NPRDC (Code 07)
San Diego, CA 92152

Fleet Support Office
NPRDC (Code 301)
San Diego, CA 92152

Library
Code P201L
Navy Personnel R&D Center
San Diego, CA 92152

Technical Director
Navy Personnel R&D Center
San Diego, CA 92152

Commanding Officer
Naval Research Laboratory
Code 2627
Washington, DC 20390

Dr. Harry F. O'Neil, Jr.
Training Research Lab
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Stellan Ohlsson
Learning R & D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 1521

Director Technology Programs
Office of Naval Research
Code 200
800 North Quincy Street
Arlington, VA 22217-5000

Director Research Programs
Office of Naval Research
800 North Quincy Street
Arlington, VA 22217-5000

Mathematics Group
Office of Naval Research
Code 411MA
800 North Quincy Street
Arlington, VA 22217-5000

Office of Naval Research
Code 433
800 N. Quincy Street
Arlington, VA 22217-5000

Psychological Sciences Division
Code 442
Office of Naval Research
800 N. Quincy St.
Arlington, VA 22217-5000

Office of Naval Research
Code 442EP
800 N. Quincy Street
Arlington, VA 22217-5000

Group Psychology Program
Code 442GP
Office of Naval Research
800 N. Quincy St.
Arlington, VA 22217-5000

Office of Naval Research
Code 442PT
800 N. Quincy Street
Arlington, VA 22217-5000
(6 Copies)

Special Assistant for Marine
Corps Matters
Code 100M
Office of Naval Research
800 N. Quincy St.
Arlington, VA 22217-5000

Psychologist
ONR Branch Office
1030 East Green Street
Pasadena, CA 91101

Commanding Officer
Army Research Institute
ATTN: PERI-BR (Dr. J. Orasanu)
5001 Eisenhower Avenue
Alexandria, VA 22333

BEST COPY AVAILABLE

Prof. Seymour Papert
20C-109
Massachusetts Institute of Technology
Cambridge, MA 02139

Dr. Douglas Pearse
DCIEM
Box 2000
Downsview, Ontario
CANADA

Dr. James W. Pellegrino
University of California,
Santa Barbara
Department of Psychology
Santa Barabara, CA 93106

Dr. Nancy Pennington
University of Chicago
Graduate School of Business
1101 E. 58th St.
Chicago, IL 60637

Military Assistant for Training and
Personnel Technology
OUSD (R & E)
Room 3D129, The Pentagon
Washington, DC 20301

LT Frank C. Petho, MSC, USN (Ph.D)
CNET (N-432)
NAS
Pensacola, FL 32508

Dr. Tjeerd Plomp
Twente University of Technology
Dept. of Education
7500 AE ENSCHEDE
P.O. Box 217
THE NETHERLANDS

Dr. Martha Polson
Department of Psychology
Campus Box 346
University of Colorado
Boulder, CO 80309

Dr. Peter Polson
University of Colorado
Department of Psychology
Boulder, CO 80309

Dr. Steven E. Poltrock
MCC
9430 Research Blvd.
Echelon Bldg #1
Austin, TX 78759

Dr. Joseph Psotka
ATTN: PERI-IC
Army Research Institute
5001 Eisenhower Ave.
Alexandria, VA 22333

Dr. Lynne Reder
Department of Psychology
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr. James A. Reggia
University of Maryland
School of Medicine and Hospital
Department of Neurology
22 South Greene Street
Baltimore, MD 21201

Dr. Fred Reif
Physics Department
University of California
Berkeley, CA 94720

Dr. Lauren Resnick
Learning R & D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 1521

Dr. Gil Ricard
Code N711
NAVTRAEQUIPCEN
Orlando, FL 32813

Dr. Mary S. Riley
Program in Cognitive Science
Center for Human Information
Processing
University of California
La Jolla, CA 92093

William Rizzo
Code 712 NAVTRAEQUIPCEN
Orlando, FL 32813

Friday, April 5, 1985 8:37 am

Baggett & Ehrenfeucht, "Conceptualizing in assembly Tasks"

Dr. Andrew M. Rose
American Institutes for Research
1055 Thomas Jefferson St., NW
Washington, DC 20007

Dr. Ernst Z. Rothkopf
Bell Laboratories
Murray Hill, NJ 07974

Dr. William B. Rouse
Georgia Institute of Technology
School of Industrial & Systems
Engineering
Atlanta, GA 30332

Dr. David Rumelhart
Center for Human
Information Processing
Univ. of California
La Jolla, CA 92093

Dr. Michael J. Samet
Perceptronics, Inc
6271 Variel Avenue
Woodland Hills, CA 91364

Dr. Robert Sasmor
Army Research Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Roger Schank
Yale University
Department of Computer Science
P.O. Box 2158
New Haven, CT 06520

Dr. Alan Schoenfeld
University of California
Department of Education
Berkeley, CA 94720

Dr. Judah L. Schwartz
MIT
20C-120
Cambridge, MA 02139

Dr. Judy Segal
NIE
1200 19th Street N.W.
Mail Stop 1806
Washington, DC 20208

Dr. Robert J. Seidel
US Army Research Institute
5001 Eisenhower Ave.
Alexandria, VA 22333

Dr. Ramsay W. Selden
National Institute of Education
1200 19th St., NW
Washington, DC 20208

Dr. Michael G. Shafto
ONR Code 442PT
800 N. Quincy Street
Arlington, VA 22217-5000

Dr. Sylvia A. S. Shafto
National Institute of Education
1200 19th Street
Mail Stop 1806
Washington, DC 20208

Dr. Ted Shortliffe
Computer Science Department
Stanford University
Stanford, CA 94305

Dr. Robert S. Siegler
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Zita M Simutis, Chief
Instructional Technology
Systems Area
ARI
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. H. Wallace Sinaiko
Manpower Research
and Advisory Services
Smithsonian Institution
801 North Pitt Street
Alexandria, VA 22314

Dr. Edward E. Smith
Bolt Beranek & Newman, Inc.
50 Moulton Street
Cambridge, MA 02138

BEST COPY AVAILABLE

Dr. Alfred F. Smode
Senior Scientist
Code 7B
Naval Training Equipment Center
Orlando, FL 32813

Dr. Elliot Soloway
Yale University
Department of Computer Science
P.O. Box 2158
New Haven, CT 06520

Dr. Richard Sorensen
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Kathryn T. Spoehr
Brown University
Psychology Department
Providence, RI 02912

James J. Staszewski
Research Associate
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Dr. Frederick Steinheiser
CIA OPD
S12 Ames
Washington, DC 20505

Dr. Robert Sternberg
Department of Psychology
Yale University
Box 11A, Yale Station
New Haven, CT 06520

Dr. Albert Stevens
Bolt Beranek & Newman, Inc.
10 Moulton St.
Cambridge, MA 02238

Dr. Paul J. Sticha
Senior Staff Scientist
Training Research Division
HumRRO
1100 S. Washington
Alexandria, VA 22314

Dr. Thomas Stieht
Navy Personnel R&D Center
San Diego, CA 92152

Dr. David Stone
KAJ Software, Inc.
3420 East Shea Blvd.
Suite 161
Phoenix, AZ 85028

Dr. John Tangney
AFOSR/NL
Bolling AFB, DC 20332

Dr. Martin M. Taylor
DCIEM
Box 2000
Downsview, Ontario
CANADA

Dr. Perry W. Thorndyke
FMC Corporation
Central Engineering Labs
1185 Coleman Avenue, Box 580
Santa Clara, CA 95052

Major Jack Thorpe
DARPA
1400 Wilson Blvd.
Arlington, VA 22209

Dr. Martin A. Tolcott
Psychological Sciences Division
Office of Naval Research
800 N. Quincy St.
Arlington, VA 22217-5000

Dr. Douglas Towne
Behavioral Technology Labs
1845 S. Elena Ave.
Redondo Beach, CA 90277

Dr. Kurt Van Lehn
Xerox PARC
3333 Coyote Hill Road
Palo Alto, CA 94304

Dr. Beth Warren
Bolt Beranek & Newman, Inc.
50 Moulton Street
Cambridge, MA 02138

Roger Weissinger Baylon
Department of Administrative Sciences
Naval Postgraduate School
Monterey, CA 93940

Dr. Keith T. Wescourt
FMC Corporation
Central Engineering Labs
1185 Coleman Ave., Box 580
Santa Clara, CA 95052

Dr. Douglas Wetzel
Code 12
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Mike Williams
IntelliGenetics
124 University Avenue
Palo Alto, CA 94301

Dr. Robert A. Wisher
U.S. Army Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Martin F. Wiskoff
Navy Personnel R & D Center
San Diego, CA 92152

Dr. Frank Withrow
U. S. Office of Education
400 Maryland Ave. SW
Washington, DC 20202

Mr. John H. Wolfe
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Wallace Wulfeck, III
Navy Personnel R&D Center
San Diego, CA 92152

Dr. Joe Yasutake
AFHRL/LRT
Lowry AFB, CO 80230

Major Frank Yohannan, USMC
Headquarters, Marine Corps
(Code MPI-20)
Washington, DC 20380

Mr. Carl York
System Development Foundation
181 Lytton Avenue
Palo Alto, CA 94301

CDR. Joe Young
NPRDC, PEPSIM
ATTN: NEPRT-P
2500 Green Bay Road
North Chicago, IL 60064

Dr. Joseph L. Young
Memory & Cognitive
Processes
National Science Foundation
Washington, DC 20550

Dr. Steven Zornetzer
Office of Naval Research
Code 440
800 N. Quincy St.
Arlington, VA 22217-5000